Tools for Sala professionals







MADE TO CHALLENGE

ARE

SATA has been the fastest growing premium-quality mechanics' hand tool company globally over the last 20 years. Our selection of products is designed and manufactured to serve professional mechanics as well as manufacturing and assembly technicians in a variety of industries including automotive, manufacturing, construction, and aerospace.

We challenge the status quo by delivering world-class guality, industry-leading innovation, and a highly gratifying experience with our brand.

SATA tools meet or exceed ANSI and DIN standards. SATA tool manufacturing facilities are ISO 9001 certified and Apex Tool Group provides lifetime warranty on SATA tools.

SATA is part of the umbrella company Apex Tool Group, LLC. The Apex Tool Group works collaboratively with distributors, retailers and large customers across the globe to make sure end users have the tools they need to solve real-world problems.

SATA tools are your ideal choice!



Discover SATA

SATA[®] LIFETIME WARRANTY

Tools made to challenge



Ratchets built with innovations, like a teardrop, low-profile head or flushmounted on/off switch to change directions easily.

Lifetime warranty



SATA Products are fully warranted against manufacturing defects including faulty materials and workmanship, subjected to being used for the intended purpose and allowing for reasonable wear and tear.





A narrow profile lets our pliers access confined areas without compromising on endurance.

Strong and lightweight



Powerful torque built for professionals who don't compromise on strength or a lightweight feel.

Complete tool sets



Sets contain a wide range of tools ideal for common tasks in automotive, industrial or personal applications.

Precision-engineered




Sockets made with precision engineering exactly fit fasteners, allowing you to tackle any challenge.



Wrenches with one-piece alloy steel construction have maximum durability for rugged performance.



MADE TO CHALLENGE



Professional Ratchets with 120 Tooth Teardrop Ratchet

Article Code	Description	Length	Width	Height	470
ST13974	1/2-Inch Drive 120P Professional Ratchet	27,9 cm 11 in	4,1 cm 1.63 in	1,9 cm 0.74 in	816 g 1.8 lb
ST11974	1/4-Inch Drive 120P Ratchet with longer handle	13 cm 5.12 in	2,4 cm 0.94 in	0,9 cm 0.36 in	113 g 3.98 oz
ST12974	3/8-Inch Drive 120P Professional Ratchet	21,3 cm 8.39 in	3,1 cm 1.22 in	1,4 cm 0.55 in	340 g 12 oz

· High-quality tool: 120 position ratchets offer a range of opening positions for your unique application

- Increased productivity: 120 positions and a 3° ratcheting arc allow you to turn fasteners in tight confines for maximum productivity
- Easy operation: Double-stacked pawls engage a 60-tooth gear, providing exceptional strength and faster operation
- Resists dirt: Enclosed head design resists dirt infiltration for continuous performance
- · Hassle-free design: Teardrop, lowprofile head offers better access, while the flush-mounted on/off switch lets you change directions hassle free



120 ****** 2x Double-Stacked Pawls engage a

60-tooth Gear Pro idina Excentional Strength, Exceeding ASME Specifications Gives a 3° Swing Arc

with 120 Positions

Professional Mechanic's Hand Tool Ratchet and Socket Set

ST0905442-piece 3/8-Inch Drive Metric 120P Professional Mechanic's Hand Tool Ratchet and Socket Set with Accessories and Combination Wrenches43,5 cm32 cm7 cm5 kg17.13 in12.6 in2.76 in11.13 lb	Article Code	Description	Length	Width	Height	4
and Socket Set with Accessories and Combination Wrenches 17.13 in 12.6 in 2.76 in 11.13 lb	ST09054	42-piece 3/8-Inch Drive Metric 120P Professional Mechanic's Hand Tool Ratchet	43,5 cm	32 cm	7 cm	5 kg
		and Socket Set with Accessories and Combination Wrenches	17.13 in	12.6 in	2.76 in	11.13 lb

Professional tool set:

- 1-3/8" Drive 120xp Ratchet
- 1-3/8" Dr. Universal Joint
- 3 3/8" Dr. Wobble Extension 3", 6", 10"
- 16 3/8" Dr. 6 PT Socket 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24 mm
- 14 3/8" Dr. 6 PT. Deep Socket 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22 mm
- 7 120xp Ratcheting Wrench 8, 10, 12, 13, 14, 15, 18 mm
- 120 position ratchet: Full-polished chrome ratchet features a dual-pawl design and a 60-tooth gear to turn fasteners with just 3° of swing arc
- Professional sockets: Sockets, included in standard/deep patterns, feature an off-corner loading design to reduce fastener rounding
- Combination wrenches: Sturdy chrome wrenches (5/16- to 3/4-inch) feature box ends with the same 120 position dual-pawl system
- Durable storage case: Set fits into a durable blow molded plastic case for carrying, organization and storage





Blow Mold Case for Durable Storage



with 120 Positions Gives a 3° Swing Arc



Professional Wrench Sets

Article Code	Description	Length	Width	Height	474
ST09033U	3-Piece Full-Polish Metric Flare Nut Line Wrench Set for Removing or Replacing Nuts on Fuel, Brake or Air Conditioning Lines	5,1 cm 2 in	17,8 cm 7 in	0,3 cm 0.13 in	281 g 9.9 oz
ST46135U	4-Piece Full-Polish Metric Ratcheting Wrench Set with 72-Tooth Gear and Off-Corner Loading Design	22,9 cm 9 in	15,2 cm 6 in	2,5 cm 1 in	612 g 1.35 lb
ST08043U	7-Piece Metric 120P Professional Combination Ratcheting Wrench Set with Universal Spline Drive and 120 Opening Positions, 8 to 18 mm	31,5 cm 12.4 in	18,5 cm 7.28 in	3,5 cm 1.38 in	930 g 2.05 lb

• Versatile set:

Professional tool set grips six common sizes of flare nut: 9x10 mm; 11x12 mm; 13x14 mm

Professional tool set:

Tool set includes 8x10, 12x13, 16x18 and 17x19 mm double boxend wrenches

High-quality tool set:

Set includes 8, 10, 12, 13, 14, 15 and 18 mm combination ratcheting wrenches



Fastener Rounding


Impact socket sets

Article Code	Description	Length	Width	Height	4
ST34398T	1/2" Drive Deep Thinwall Socket Set with 13 common metric sizes for impact sockets: 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22 and 24 mm	40,6 cm 16 in	27,9 cm 11 in	5,6 cm 2.2 in	3,2 kg 7.04 lb
ST34397T	1/2" Drive Shallow Thinwall Socket Set with 14 common metric sizes for impact sockets: 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 23 and 24 mm	29,2 cm 11.5 in	19 cm 7.5 in	5,1 cm 2 in	1,9 kg 4.14 lb
ST34399T	26pc 1/2" Drive Standard & Deep Thinwall Socket Set includes standard sizes 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24 mm and deep sizes 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24 mm	39,4 cm 15.5 in	28 cm 11 in	6,4 cm 2.5 in	4,3 kg 9.48 lb

• Improved access: Thin-wall, shallow design fits into confined areas too tight for a traditional impact socket

- **6-point design:** Classic 6-point interior geometry has the professional strength to work with impact drivers or manual drive tools
- Large size markings: Large, clearly visible size markings on each socket allow the size to be quickly identified
- Chrome molybdenum: Chrome molybdenum bodies give these durable sockets increased strength and greater impact resistance






ST46135U

ST09033U

6



Wide Jaw Adjustable Wrenches

Article Code	Description	Length	Width	Height	4
ST47122	6" Wide Jaw Adjustable Wrench	16,5 cm 6.5 in	7 cm 2.75 in	0,6 cm 0.25 in	181 g 6.4 oz
ST47123	8" Wide Jaw Adjustable Wrench	21,6 cm 8.5 in	7,62 cm 3 in	1,27 cm 0.5 in	499 g 1.1 lb
ST47124	10" Wide Jaw Adjustable Wrench	26 cm 10.25 in	7,62 cm 3 in	1,6 cm 0.63 in	658 g 1.45 lb
ST47125	12" Wide Jaw Adjustable Wrench	30,48 cm 12 in	8,9 cm 3.5 in	1,27 cm 0.5 in	794 g 1.75 lb
ST47130	Wide Jaw Adjustable Wrench 2pc Set (6" and 10")	25,4 cm 10 in	8,9 cm 3.5 in	1,27 cm 0.5 in	748 g 1.65 lb

• Extra-Wide Jaw Opening: Allows use with a greater range of fastener sizes than traditional adjustable wrenches. Each wrench does the work of the next larger size: - 6" has jaw capacity of 8"

- 8" has jaw capacity of 10"
- 10" has jaw capacity of 12"
- 12" has jaw capacity of 15"

• Micro-Serrations on Jaws: Generates up to 4x more torque than traditional adjustable

 Laser Etched Scale: SAE and Metric, allows easy determination of fastener size

• Larger Knurl: For easier adjustment and tighter jaw fit, won't bind up

 Black Phosphate and Lacquer Finish: Resists rust and corrosion

• Exceeds ASME Requirements



Versatile Pliers Sets for a range of professional jobs

Article Code	Description	Length	Width	Height	474
ST70002U	3-piece Pliers Set with Universal (8"), Long-Nose (8"), Diagonal (7"), with green handles and durable Nickel-Chrome Steel bodies	24,1 cm 9.5 in	16,5 cm 6.5 in	24,1 cm 9.5 in	962 g 2.12 lb
ST70001U	5-piece Pliers Set with Tongue-and-Groove (12", 10"), Long-Nose (8"), Diagonal (7") and Slip-Joint (6") pliers	34,3 cm 13.5 in	16,5 cm 6.5 in	1,3 cm 0.5 in	1,9 kg 4.18 lb
ST72401	6" High Leverage Long-Nose Pliers with a forged steel body, green anti-slip handles and innovative pivoting joint	16,5 cm 6.5 in	5,1 cm 2 in	2,54 cm 1 in	272 g 9.6 oz
ST70003U	2-piece Double X-Pliers Set, straight body and 45 degree tip, with green handles and a Long-Nose design	33 cm 13 in	6,4 cm 2.5 in	3,1 cm 1.21 in	1,2 kg 2.64 lb

• Anti-slip handles: TPE handles are ergonomic and have an anti-slip surface for superior grip and comfort

• Laser Hardened: Laser-hardened gripping and cutting edges provide a longer tool life ready for demanding professional work

Professional strength: Forged steel body has the strength and durability required to tackle professional challenges

• Anti-rust coating: Professional clear coating resists rust and corrosion to extend the effective life of the tools, preserving their edge and finish





ST70001U

ST70003U





noound loint Allows Access with Minimal Handle Movement



Ergonomic dua material helps reduce fatigue and improve grip and torque



Stubby Ratcheting Screwdriver Set

Article Code	Description	Length	Width	Height	414
ST09348	6-Piece Stubby Ratcheting Screwdriver Set with Three Ratcheting Settings and a Storage Handle	- /	3,8 cm 1.5 in	- 1	249 g 8.8 oz

• Versatile set: Includes six common bit sizes, three slotted (4.0 mm, 5.0 mm, 6.0 mm) and three Phillips (#1, #2, #3)

Durable blades: Blades made from SCVM + steel provide the toughness and torque resistance that professionals need

Ratcheting action: Smooth ratcheting mechanism with three settings that works efficiently in either direction or when locked in place

 Durable comfort handle: Dual material ergonomic handle provides a comfortable grip and is resistant to oil or solvents

Bit storage: Removable back cap stores all included bits magnetically inside the handle for convenient switching



Multipurpose Ratcheting Screwdriver Set

Article Code	Description	Length	Width	Height	4
ST09350	19-in-1 Multipurpose Ratcheting Screwdriver Set with 8	25,4 cm	4,5 cm	4,5 cm	340 g
	Double-Sided Bits and an Oil-Resistant Handle, 19 pieces	10 in	1.75 in	1.75 in	12 oz

- Versatile set: Includes eight double-sided bits, with 5, 6 and 8 mm slotted, #1 and #3 Philips, T15, T20, T25 and T20 Torx, and 2.0, 2.5, 3.0, 4.0, 5.0 and 6.0 mm hex tips
- Durable blades: Blades made from SCVM + steel provide the toughness and torque resistance that professionals need
- Ratcheting action: Smooth ratcheting mechanism with three settings that works efficiently in either direction
- Durable comfort handle: Dual material ergonomic handle provides a comfortable grip and is resistant to oil or solvents
- Bit storage: Removable back cap stores all included bits inside the handle for convenient switching





Removable cap for 8 double ended bit storage



Magnetic bit holde for fastener retentior



Snap Blade Utility Knife

Article Code	Description	Length	Width	Height	4
ST93482	T Series 18 mm Soft Grip Utility Knife	16,5 cm 6.5 in	3,8 cm 1.5 in	1,9 cm 0.75 in	113 g 0.25 lb

• Steel blade sleeve: Utility knife's body is built around a steel blade sleeve for maximum durability

- **Dual material case:** Ergonomic, dual material case with a thumb bridge is comfortable and convenient to use
- Built-in blade snapper: Unique blade snapper slides out of the body for easy access, renewing the blade's edge easily
- SK2 steel blades: Blades made from professional SK2 alloy steel stay sharp through heavy use for a longer tool life
- General utility knife: Snap blade utility knife is ideal for a range of professional and domestic tasks





material helps reduce fatigue and improve grip and torque

Rubberized handles allow for confident handling, even in wet and cold environments

Indexing Pry Bars

Article Code	Description	Length	Width	Height	47
ST92568	29" Extendable Indexing Pry Bar	62,9 cm 24.75 in	2,5 cm 1 in	2,5 cm 1 in	2,9 kg 6.34 lb
ST92569	2 pcs Indexing Pry Bar Set, 8" and 16"	40,6 cm 16 in	1,9 cm 0.75 in	1,9 cm 0.75 in	1,1 kg 2.55 lb

- Expandable and adjustable: Indexing pry bars are ideal for demolition, repositioning equipment, industrial work, aligning steel components or moving engines
- Increased productivity: Head rotates 180° through 14 locking positions for improved leverage and to access areas a fixed head tool can't reach
- **Durable:** Alloy steel construction is corrosion resistant and withstands everyday wear and tear for lasting durability
- Quick release: Push-button lets you quickly extend the tool's reach or collapse the tool to easily store in your toolbox
- Ease of use: Grooved head profile grips and holds securely in tight confines and at the fullest extension, so you can complete tasks with ease



ST92569





Ratcheting Cable Cutter up to 240 mm

Article Code	Description	Length	Width	Height	414
ST72511	Ratcheting cable cutter 240 mm	24,1 cm 9.5 in	10,2 m 4 in	2,5 cm 1 in	658 g 1.45 lb

- · 2-stage cutting: Unique 2-stage cutting design reduces the force required to cut cables
- Alloy steel jaws: Drop-forged, precision ground alloy steel jaws provide maximum durability and tool life
- Cuts 240 mm² cable: Special ratcheting tooth mechanism protects the blades and cuts copper or aluminum cables up to 240 mm² $(3/8 in^2)$
- Ergonomic handles: Comfortable, ergonomic handles provide a secure grip and increased cutting capacity
- Compact design: Lightweight, compact cutters are highly portable and feature a comfortable ratcheting action for easier cutting

Ergonomic dual 🗙 240r material helps reduce fatigue and improve grip and torque Cuts 240 mm² (0.372 inch²) cable

Ratcheting Tap and Die

Article Code	Description	Length	Width	Height	470
ST50402	5 Piece Medium Ratcheting Tap and Die, 3/8-Inch Drive Tool Set with T-Handle, Reversing Lever and Hard Plastic Carrying Case	30,5 cm 12 in	14,7 cm 5.8 in	13,2 cm 5.2in	1,5 kg 3.39 lb

- Ratcheting t-handle: Comfortable ratcheting T-handle with a 5° swing arc eliminates hand-over-hand turning for faster cutting
- Reversing lever: Flip the simple reversing lever to change the ratcheting direction for maximum performance
- Reduced walkback: Patented twist lock guide system reduces the "walk back" of the die guide to keep dies centered when cutting
- Auto-locking system: Handle's design locks tap adaptors in place while still allowing for safe, effortless removal
- Carrying case: 5-piece set works with round or hex-shaped dies and comes packed in a blow molded plastic storage and carrying case










Blow Mold Case fo **Durable Storage**



Ergonomic du material helps reduce fatigue and improve grip and torque



Metric Socket Tray Set

Article Code	Description	Length	Width	Height	474
ST95401	1/4",3/8" and 1/2" 3-Pieces Metric Socket Tray Set	,	,	10,2 cm 4 in	703 g 1.55 lb

• High-quality tool organizer: SATA 1/4-, 3/8- and 1/2-inch 3-piece socket tray set helps you keep your workspace organized in fast-paced environments

- Upright design: Sockets stand upright, offering you quick and easy access
- Clear labeling: Clearly marked socket sizes on pins for instant size identification
- Space saving: Space-saving design provides a compact storage option

• Universal: Tray fits standard and deep length sockets for added convenience







Portable Tool Bag with Waterproof Construction and Multiple Interior and Exterior Pockets, Tool Storage and Organizer

Article Code	Description	Length	Width	Height	47
ST95181	Portable tool bag 13"	38,1 cm 15 in	22,9 cm 9 in	27,9 cm 11 in	930 g 2.05 lb
ST95182SC	Portable tool bag 16"	44,5 cm 17.5 in	29,2 cm 11.5 in	22,9 cm 9 in	1000 g 2.26 lb

- Professional-grade: Portable tool bag is perfect for taking your tools on the go, with a durable, top-quality zipper for added convenience
- Strong material: 900D polyester construction withstands everyday wear and tear, even on the toughest jobsites
- Convenient to carry: Nonslip handles and padded shoulder straps provide comfort while carrying the bag from job to job
- Easy access: Multiple interior and exterior pockets for easy access and clear organization of your tools
- · Heavy-duty: Waterproof material resists moisture for long-lasting performance



Durable Zipper Top



Roller Seat with Tractor Seat and Magnetic Trays

Article Code	Description	Length	Width	Height	474
ST95440	Roller Seat with Tractor Seat and Magnetic Trays	0,43 m 17 in	0,43 m 17 in	0,55 m 22 in	11,61 kg 25.6 lb

• Easily adjusts: Air shock, tractor-style seat adjusts from 18" to 22" by effortlessly lifting a lever

• Stores tools and accessories: 5 removable, magnetic trays in the chair's base add a convenient storage option

• Solvent resistant: Seat's rubber material resists oil and solvents for lasting durability

• **360° Swivel:** SATA rolling mechanic's seat swivels 360°, offering increased mobility

40" Creeper with Magnet Trays

Article Code	Description	Length	Width	Height	473
ST95441	40" Creeper with Magnet Trays	1,0 m 40.75 in		0,15 m 5.75 in	7,62 kg 16.81 lb

• Storage option: Magnetic trays prevent parts from falling out and ensure convenient storage

• **Durablility:** Custom-molded composite frame provides lasting durability

• **Comfort:** Concave design ensures high comfort and ergonomic handling. Back pad and head rest made of durable reinforced fibre provide high comfort for the user's shoulders and head and the ball bearing casters reduce vibration. Metal plates in the head area allow a light to be attached for better visibility

Authorized Distributor

Apex Tool Group B.V. Phileas Foggstraat 16 7821 AK Emmen The Netherlands T. +31 (0) 591 667 504 www.satatools.eu

Disclaimer Specifications subject to change without notice. SATA is a registered trademark of Apex Brands, Inc. | © 2021 HT1030 100ST / 02.21 KOS 2.5